



+ View More

PRODUCT NUMBER: 2100251

## WORKEASY BLACK BLACK

Handling of fine products in a dry, slightly greasy or soiled environment.

Honeywell

Overview

**Reference Number**

2100251

**Product Type**

Gloves

**Range**

General purpose

**Line**

Precision work

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Aviation
- Logistics
- Maintenance
- Transportation

**Product Use**

Handling of fine products in a dry, slightly greasy or soiled environment.

**Feature**

100% black polyester knitted glove

Black polyurethane coating on palm and fingertips

## Features & Benefits

### Benefit

#### COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The ventilated back and PU coating optimise the glove's breathability.

#### RESISTANCE

The polyester and its polyurethane coating provide a good abrasion and tear resistance.

The PU coating ensures a good grip.

#### SAFETY

Non pilling, the polyester fiber is suitable for precision work. The gloves are certified as "silicone-free" to ensure their use in painting.

#### HYGIENE

Its dark colour makes it more soilproof, thus ensuring a longer life.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standard

EN 388-2003 Mechanical risks

#### CHARACTERISTICS :

100% black polyester knitted glove

Black polyurethane coating on palm and fingertips

### Product Technology

Knitted Coated

### Gauge

13

### Glove/liner color

Black

### Coating Type

Polyester and polyurethane

### Length

25 cm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 5

### Sizes

7 to 10

## EN 388 - Mechanical Hazards Abrasion

## Resistance

Abrasion resistance	3
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

## Packaging Label

### Tagging

CE SPERIAN  
 2100251 XX  
 EN 420  
 EN 388 : 3121

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/08/09/0300

#### EC Attestation

 EC Attestation

#### EC Attestation Number

0075/797/162/08/09/0300

## Photos & Images

### PIC SKU - Pictures

<http://www.honeywellsafety.com/assets/0/324/500/51887/163df928e6564ae2a9a3a1025161480e.j>

## Additional Information

### User Manual

UI 102

### User Information Sheet

102

## Storage Information

### Storage Information

Minimum packaging : 10 pairs.  
 Cartons of 100 pairs.

Maintenance

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Sperian Proteciton Gloves.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/09/0300

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : 2100251

\* responsible for placing on the market :

### HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 03th, 2009

Update 02 of June 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 03

Reference : 2100251

Basic Model

Dated : JUNE 2012

5 fingers knitted glove. Black polyester yarn + black PU coating. The overlock color indicate the size : T06-Green, T07-Red, T08-Blue, T09-Yellow, T10-White, T11-Orange.

### Available sizes :

06 07 08 09 10 11

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Black	polyester yarn	13	0,9mm
	Black	PU		
BACK	Black	polyester yarn	13	
LINING				
CUFF	Black	polyester yarn	13	
	Black	Elastic Rubber	13	
BINDING	green/red/blue/yellow/white/orange	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420	00234-08	0905-6551/1 1106-9085/2	
Azo		0905-6551/1 1008-10045/2	
EN 388	00163-08	0905-6551/1 0903-4371/1	1106-9085/2 1106-7634/1 1112-16746/2

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	1


The levels of performance have been measured on the palm

### 3. MARKING

Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 2100251
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

Marking example:







# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: WORKEASY BLACK BLACK

Reference: 2100251

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/08/09/0300

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 27/11/2013

**By:** Nadine Pipaz

**Division:** Gloves

**HONEYWELL SAFETY PRODUCTS EUROPE**

Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses

BP 55288 Villepinte - 95958 ROISSY CDG CEDEX

SAS au capital 17 750 000 € - Siret 348 862 307 00137

Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)